

**IMMUNIZATIONS REQUIRED FOR SCHOOL REGISTRATION OR ATTENDANCE
BY GRADE LEVEL
2009-2010**

PRESCHOOL STUDENTS (Refer to Immunization schedule chart for Birth to 3)

- 4 DTaP
 - 3 IPV (Polio)
 - 1 Hib if given on or after 15 months of age
 - * 1 MMR received on or after the 1st birthday
 - **3 Hep B (given at the recommended intervals)
 - * 1 Varicella (Chickenpox) received on or after the 1st birthday OR signed verification of disease from health care provider.
- NEW***1-4 PCV** see below

KINDERGARTEN STUDENTS

- 4 DTaP if the last dose given on or after the age of four years
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- * 2 MMR received at or after one year of age and at least 28 days apart
- **3 Hep B (given at the recommended intervals)
- * 2 Varicella (Chickenpox) received on or after the 1st birthday and at least 28 days apart OR signed verification of disease from health care provider.

FIRST GRADE STUDENTS

- 3 DTaP if the last dose given on or after the age of four years
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- * 2 MMR received at or after one year of age (at least 28 days apart)
- **3 Hep B (given at the recommended intervals)
- * 2 Varicella (Chickenpox) received on or after the 1st birthday and at least 28 days apart OR signed verification of disease from health care provider.

SECOND AND THIRD GRADE STUDENTS

- 3 DTaP if the last dose given on or after the age of four years
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- * 2 MMR received at or after one year of age (at least 28 days apart)
- **3 Hep B (given at the recommended intervals)
- * 1 Varicella (Chickenpox) given on or after the 1st birthday OR approximate age or date of chickenpox disease is acceptable

FOURTH AND FIFTH GRADE STUDENTS

- 3 DTaP if the last dose given on or after the age of four years
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- * 2 MMR received at or after one year of age (at least 28 days apart)
- **3 Hep B (given at the recommended intervals)

SIXTH GRADE

- 3 DTaP if the last dose given on or after the age of four years (Td recommended if 7 or older)
- 1 Tdap if it has been 5 years or more since last tetanus containing vaccine and student is 11 years or older
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- * 2 MMR received at or after one year of age (at least 28 days apart)
- **3 Hep B (given at the recommended intervals)
- 1 Varicella (Chickenpox) given on or after the 1st birthday OR approximate age or date of chickenpox disease is acceptable

SEVENTH AND EIGHTH GRADE STUDENTS

- 3 DTaP if the last dose given on or after the age of four years (Td recommended if 7 or older)
- 1 Tdap if it has been 5 years or more since last tetanus containing vaccine and student is 11 years or older
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- * 2 MMR received at or after one year of age (at least 28 days apart)
- **3 Hep B (given at the recommended intervals)

NINTH THROUGH TWELFTH GRADE STUDENTS

- 3 DTaP if the last dose given on or after the age of four years (Tdap may substitute for 1 of the 3 doses)
- 3 IPV (Polio) if last dose is given on or after age four OR 4 doses, if all are given *before* age four
- 2 MMR received at or after one year of age (at least 28 days apart)
- **3 Hep B (given at the recommended intervals)

* Both the MMR and Varicella are considered "live" vaccines and therefore both vaccines must be given on the same day OR at least 28 days before or after each other. Note: Four day grace period applies to all vaccines except 2nd MMR or Varicella.

** Recommended Hepatitis B intervals:

- The minimum interval between dose #1 and dose #2 is 4 weeks (24 days, with 4 day grace period included).
- The minimum interval between dose #2 and dose #3 is 8 weeks (52 days, with 4 day grace period included).
- The minimum interval between dose #1 and dose #3 is 4 months (108 days, with 4 day grace period included).
- The minimum age for dose #3 is 24 weeks of age (164 days)

Doses given at less than the appropriate intervals and/or age may not provide adequate protection.

***4 doses is full immunization by 16 months BUT; 3 doses required if only 2 doses given before 12 months; or 2 doses required if both received between 12-24 months of age; OR 1 dose required if the only dose has been given on or after 24 months of age. NOT GIVEN AFTER AGE 5.